

2017 ANNUAL CONTRIBUTIONS Author Index

Ahamed, F., I. A. Cardoso, Z. F. Ahmed, M. Y. Hossain, **J. Ohtomi** (2017) An overview of the genus *Plesionika* Bate, 1888 (Decapoda, Caridea, Pandalidae) in Asian waters. *Zootaxa*, **4221**: 575–593.

Ahamed, F., Z.F. Ahmed, M.Y. Hossain, **J. Ohtomi** (2017) Growth and longevity of the mola carplet *Amblypharyngodon mola* (Cyprinidae) in the Payra River, southern Bangladesh. *Egyptian J. Aquat. Res.*, **43**: 291–295.

Chen R, Lou B, Xu D, Zhan W, **Takeuchi Y**, Yang F, Liu F. (2017) Induction of meiotic gynogenesis in yellow drum (*Nibea albiflora*, Sciaenidae) using heterologous sperm and evidence for female homogametic sex determination. *Aquaculture* **479**: 667–674.

Dawood, M.A.O., **S. Koshio**, M. El-Sabagh, Md.M. Billah, A.I. Zaineldin, M.M. Zayed, and A.A.E. Omar (2017) Changes in the growth, humoral and mucosal immune responses following β -glucan and vitamin C administration in red sea bream, *Pagrus major*, *Aquaculture* **470**: 214–222.

Dawood, M.A.O., **S. Koshio**, M. Ishikawa, M. El-Sabagh, S. Yokoyama, W. Wang, Z. Yukun, and A. Olivier (2017) Physiological response, blood chemistry profile and mucus secretion of red sea bream (*Pagrus major*) fed diets supplemented with *Lactobacillus rhamnosus* under low salinity stress, *Fish Physiology and Biochemistry* **43**: 179–192.

Dawood, M.A.O., **S. Koshio**, M. Ishikawa, S. Yokoyama, M.F. El-Basuini, M.S. Hossain, T.H. Nhu, A.S. Moss, S. Dossou, and H. Wei (2017) Dietary supplementation of β -glucan improves growth performance, the innate immune response and stress resistance of red sea bream, *Pagrus major*, *Aquaculture Nutrition* **23**: 148–159.

Djissou, A.S.M., A. Ochiai, **S. Koshio**, and E. Fiogbe (2017) Effect of total replacement of fishmeal by earthworm and *Azolla filiculoides* meals in the diets of Nile tilapia *Oreochromis niloticus* (Linnaeus, 1758) reared in concrete

tanks, *Indian Journal of Fisheries* **64**: 31–36.

Doi, W., H. Washiyama, K. Furuichi, M. Osumi and N. Suzuki (2017) Maturity stage determination of female sergestid shrimp *Lucensosergia lucens* based on ovary color, *Nippon Suisan Gakkaishi*, **83**(2): 183–190.

El-Basuini, M.F., M.A.O. Dawood, **S. Koshio**, M. Ishikawa, and S. Yokoyama (2017) Effects of dietary copper nanoparticles and vitamin C supplementations on growth performance, immune response and stress resistance of red sea bream, *Pagrus major*, *Aquaculture Nutrition* **23**: 1329–1340.

Endo, H., A. Suzuki, Y. Sato and Y. Agatsuma (2017) Effects of nutrient enrichment, irradiance control, and boiling on the color of the brown alga *Undaria pinnatifida*, *Fish. Sci.*, **83**(5): 811–817.

Endo, H., K. Suehiro, X. Gao and Y. Agatsuma (2017) Interactive effects of elevated summer temperature, nutrient availability, and irradiance on growth and chemical compositions of juvenile kelp, *Eisenia bicyclis*, *Phycol. Res.*, **65**: 118–126.

Endo, H., Y. Okumura, Y. Sato and Y. Agatsuma (2017) Interactive effects of nutrient availability, temperature, and irradiance on photosynthetic pigments and color of the brown alga *Undaria pinnatifida*, *J. Appl. Phycol.*, **29**: 1683–1693.

Farhana Z., **J. Ohtomi** (2017) Growth pattern and longevity of *Parapenaeus fissuroides* Crosnier, 1985 (Decapoda: Pandalidar) in Kagoshima Bay, southern Japan. *Crustaceana*, **90**: 153–166.

Funahashi, A., T. Itakura, A. A. I. Hassanin, **M. Komatsu**, S. Hayashi, **Y. Kaminishi**. (2017) biquitous distribution of fluorescent protein in muscles of four species and two subspecies of eel (genus *Anguilla*). *Journal of Genetics*, **96**(1): 127–133.

- Gao, X., **H. Endo**, M. Nagaki and Y. Agatsuma (2017) Interactive effects of nutrient availability and temperature on growth and survival of different size classes of *Saccharina japonica* (Laminariales, Phaeophyceae), *Phycologia*, **56**(3): 253–260.
- Gouda, H., **H. Endo** and Y. Agatsuma (2017) Effect of seawater temperature on long-term recruitment of *Strongylocentrotus intermedius* juveniles in northeastern Sea of Japan, *Reg. Stud. Mar. Sci.*, **16**: 36–41.
- Hall M., E. Gilman, H. Minami, **T. Mituhasi** and E. Carruthers (2017) Mitigating bycatch in tuna fisheries, *Rev. Fish Biol. Fisheries.*, **7**(4): 881–908.
- Hamasaki M, **Takeuchi Y**, Yazawa R, Yoshikawa S, Kadomura K, Yamada T, Miyaki K, Kiyoshi Kikuchi K, Yoshizaki G. (2017) Production of tiger puffer *Takifugu rubripes* offspring from triploid grass puffer *Takifugu niphobles* parents. *Marine Biotechnology* **19**(6): 579–591.
- Honda, M.C., K. Matsumoto, T. Fujiki, E. Siswanto, K. Sasaoka, H. Kawakami, M. Wakita, Y. Mino, C. Sukigara, M. Kitamura, Y. Sasai, S. L. Smith, T. Hashioka, C. Yoshikawa, K. Kimoto, S. Watanabe, **T. Kobari**, T. Nagata, K. Hamasaki, R. Kaneko, M. Uchimiyama, H. Fukuda, O. Abe and T. Saino (2017) Comparison of carbon cycle between the western Pacific subarctic and subtropical time-series stations: highlights of the K2S1 project. *J. Oceanogr.*, **73**: 647–667.
- Hossain, M.S., M.A. Kader, T. Dey, N.M. Sony, M. Bulbul, and **S. Koshio** (2017) Effect of high inclusion of rendered animal by-product ingredients on growth, digestibility and economic performances in climbing perch *Anabas testudineus*, *Aquaculture Research* **48**: 931–940.
- Hossain, M.S., **S. Koshio**, M. Ishikawa, S. Yokoyama, N.M. Sony, and T. Fujieda (2017) Nucleoside by-product dietary supplementation influences blood chemistry, immune response, oxidative stress resistance and intestinal morphology of juvenile amberjack, *Seriola dumerili*, *Aquaculture Nutrition* **23**: 1390–1400.
- Hossain, M.S., **S. Koshio**, M. Ishikawa, S. Yokoyama, N.M. Sony, M. Usami, S. Ono, and T. Fujieda (2017) Nosine supplementation effectively provokes the growth, immune response, oxidative stress resistance and intestinal morphology of juvenile red sea bream, *Pagrus major*, *Aquaculture Nutrition* **23**: 952–963.
- Hossain, M.S., **S. Koshio**, M. Ishikawa, S. Yokoyama, N.M. Sony, M.A. Kader, M. Maekawa, and T. Fujieda (2017) Effects of dietary administration of inosine on growth, immune response, oxidative stress and gut morphology of juvenile amberjack, *Seriola dumerili*, *Aquaculture* **468**: 534–544.
- Hossain, Md.S., **S. Koshio**, M. Ishikawa, S. Yokoyama, and N.M. Sony (2017) Dietary cytidine monophosphate enhances the growth, blood characteristics, innate and adaptive immune functions and stress resistance of juvenile red sea bream, *Pagrus major*, *Aquaculture* **473**: 366–374.
- Hossain, Md.S., **S. Koshio**, M. Ishikawa, S. Yokoyama, and N.M. Sony (2017) Dietary supplementation of uridine monophosphate enhances growth, hematological profile, immune functions and stress tolerance of juvenile red sea bream, *Pagrus major*, *Aquaculture* **473**: 366–374.
- Hossain, Md.S., **S. Koshio**, M. Ishikawa, S. Yokoyama, and N.M. Sony (2017) Dietary supplementation of uridine monophosphate enhances growth, hematological profile, immune functions and stress tolerance of juvenile red sea bream, *Pagrus major*, *Aquaculture* **475**: 29–39.
- Hu, Z.-M., J.-J. Li, Z.-M. Sun, X. Gao, J.-T. Yao, H.-G. Choi, **H. Endo** and D.-L. Duan (2017) Hidden diversity and phylogeographic history provide conservation insights for the edible seaweed *Sargassum fusiforme* in the Northwest Pacific., *Evol. Appl.*, **10**: 366–378.
- Ichida K, Kise K, Morita T, Yazawa R, **Takeuchi Y**, Yoshizaki G. (2017) Flow-cytometric enrichment of Pacific bluefin tuna type A spermatogonia based on light-scattering properties. *Theriogenology* **101**: 91–98.
- Igarashi, K., R. Matsunaga, S. Hirakawa, S. Hosoya, H. Suetake, K. Kikuchi, Y. Suzuki, O. Nakamura, T. Miyadai, **S. Tasumi** and S. Tsutsui (2017) Mucosal IgM antibody with D-mannose affinity in fugu *Takifugu rubripes* is utilized by a

- monogenean parasite *Heterobothrium okamotoi* for host recognition. *J. Immunol.*, **198**(10): 4107–4114.
- Kobari, T.**, S. Miyake, W.T. Peterson, J. Peterson and T. Shaw (2017) Nucleic acid ratio as a proxy for starvation of coastal and pelagic copepods in the North Pacific Ocean. *Plankton Benthos Res.*, **12**: 25–33.
- Kobayashi, S. and **M. Vazquez Archdale** (2017) Occurrence pattern and reproductive ecology of the leucosiid crab *Pyrhila pisum* (De Haan) in tidal flats in Hakata Bay, Fukuoka, Japan. *Crust. Res.* **46**: 103–119.
- Kotani, T.**, T. Haraguchi, Y. Yamazaki, T. Doi, H. Matsui, S. Yokoyama, M. Ishikawa and **S. Koshio** (2017) Effect of the length of nutritional enrichment on the fatty acid composition of polar lipids of euryhaline rotifers *Brachionus* and larviculture performance of red sea bream *Pagrus major* *Aquacult. Sci.*, **65**(2): 133–144.
- Kotani, T.**, T. Haraguchi, Y. Yamazaki, T. Doi, H. Matsui, S. Yokoyama, M. Ishikawa, and **S. Koshio** (2017) Effect of the duration of nutritional enrichment on the fatty acid composition of commonly used rotifers *Brachionus plicatilis* sp. complex and larviculture performance of red sea bream *Pagrus major*, *Aquaculture Science* **65**: 133–144.
- Liu, Z.-J., **H. Nakamura**, X.-H. Zhu, A. Nishina, and M. Dong (2017) Tidal and residual currents across the northern Ryukyu Island chain observed by ferryboat ADCP, *J. Geophys. Res. Oceans*, **122**
- M. Matsumoto, K. Araki, K. Hayashi, Y. Takeuchi, K. Shiozaki, H. Suetake, **A. Yamamoto** (2017) Adjuvant effect of recombinant interleukin-12 in the Nocardiosis formalin-killed vaccine of the amberjack *Seriola dumerili*, *Fish & Shellfish Immunol.* **67**: 263–269.
- Matsui, H., R. Okawa, **K. Anraku** and **T. Kotani** (2017) Application of spectrophotometry to estimate optimum condition of *Nannochloropsis oculata* batch culture for a diet of zooplankton *Aquacult. Sci.*, **65**(3): 209–219.
- Matsumoto M, Araki K, Hayashi K, **Takeuchi Y**, Shiozaki K, Suetake H, Yamamoto A. (2017) Adjuvant effect of recombinant interleukin-12 in the Nocardiosis formalin-killed vaccine of the amberjack *Seriola dumerili*. *Fish and shellfish immunology* **67**: 263–269.
- Matsumoto, M., K. Araki, K. Hayashi, Y. Takeuchi, K. Shiozaki, H. Suetake and **A. Yamamoto** (2017) Adjuvant effect of recombinant interleukin-12 in the Nocardiosis formalin-killed vaccine of the amberjack *Seriola dumerili*. *Fish Shellfish Immunol.*, **67**: 263–269.
- Nagai, T., D. Hasegawa, T. Tanaka, **H. Nakamura**, E. Tsutsumi, R. Inoue and T. Yamashiro (2017) First Evidence of Coherent Bands of Strong Turbulent Layers Associated with High-Wavenumber Internal-Wave Shear in the Upstream Kuroshio, *Scientific Reports*, **7**(14555)
- Nakamura, H.** (2017) Kuroshio path and volume transport variations from Luzon Island to the eastern coast of Kyushu, *Oceanography in Japan*, **26**(4), 113–147
- Nawar, F., Hossain, M.Y., Hossen, M.A., Khatun, D., Parvin, M.F., **J. Ohtomi**, Islam, M.A. (2017) Morphometric relationships of the endangered Ticto barb *Pethia ticto* (Hamilton, 1822) in the Ganges River (NW Bangladesh) through multi-linear dimensions. *Jordan J. Biol. Sci.*, **10**: 199–203.
- Nuñal, S., S. Santander, H. Wei, A. Adel, **T. Yoshikawa**, S. Okunishi and **H. Maeda** (2017) Hydrocarbon degradation and bacterial community responses during remediation of sediment artificially contaminated with heavy oil. *Biocontrol Sci.*, **22**(4): 187–203.
- Nuñal, S.N., S.M.S. Santander de-Leon, W. Hongyi, A.A. Regal, **T. Yoshikawa**, S. Okunishi and **H. Maeda** (2017) Hydrocarbon degradation and bacterial community responses during remediation of sediment artificially contaminated with heavy oil. *Biocont. Sci.*, **22**(4): 187–203.
- Ogata S., R. Palla, R. Ueno, M. Sato, H. Suzuki, **T. Yamamoto** (2017) Macro-benthic Fauna in the Tidal Flats of Amami-Oshima Island. *Jap. J. Benth.*, **72**: 27–38.
- Ohtomi, J.** (2017) Decapod crustaceans in the open sandy shore at Fukiagehama Beach. In “Nature and conservation of

sandy shores (ed. Y. Suda)", Seibutsu Kenkyusha, Tokyo, p.144–146. (In Japanese)

Ohtomi, J. (2017) Decapod crustaceans in the open sandy shore at Fukiagehama Beach. In "Nature and conservation of sandy shores (ed. Y. Suda)", Seibutsu Kenkyusha, Tokyo, p.144–146. (In Japanese)

Premachandra A, Lafarga-De la Cruz F, **Takeuchi Y**, Miller A, Fielder S, O'Connor W, Frère C, Nguyen N, Bar I, Knibb W. (2017) Genomic DNA variation confirmed *Seriola lalandi* is three different populations in the Pacific, but with recent divergence. *Scientific Reports* 7(1): 9368

Rahman, M. M., **J. Ohtomi** (2017) Reproductive biology of the deep-water velvet shrimp *Metapenaeopsis sibogae* (De Man, 1907) (Decapoda: Penaeidae). *J. Crust. Biol.*, **37**: 743–752.

Ryuzono, S., R. Takase, Y. Kamada, T. Ikenaga, P. Chigwechokha, M. Komatsu and **K. Shiozaki** (2017) Suppression of Neul sialidase delays the absorption of yolk sac in medaka (*Oryzias latipes*) accompanied with the accumulation of alpha 2-3 sialo-glycoproteins. *Biochimie*, **135**: 63–71.

Santander-de Leon, S., S. Nuñal, H. Wei, **T. Yoshikawa** and **H. Maeda** (2017) Bacterial community composition shifts in sediments influenced by fish feeds. *Aquac. Res.*, **48**: 4380–4389.

Santander-de Leon, S.M.S., S.N. Nuñal, H. Wei, **T. Yoshikawa** and **H. Maeda** (2017) Bacterial community composition shifts in sediments influenced by fish feeds. *Aquacult. Res.*, **48**(8): 4380–4389.

Shinyoshi, S., Y. Kamada, K. Matsusaki, P. Chigwechokha, S. Tepparin, K. Araki, M. Komatsu and **K. Shiozaki** (2017) Naringenin suppresses *Edwardsiella tarda* infection in GAKS cells by NanA sialidase inhibition. *Fish Shellfish Immunol.*, **61**: 86–92.

Shiozaki, K., M. Yoshikawa, S. Kiguchiya, A. Ikeda, Y. Kamada, P. Chigwechokha and M. Komatsu (2017) Matrix metalloproteinase-7 inhibitory activity of lipid extract from

dwarf gulper shark (*Centrophorus atromarginatus*) through down-regulation of gene transcription *J. Funct. Food.*, **30**: 90–96.

Suzuki, H., T. Aoki, Y. Kubo, **H. Endo**, Y. Agatsuma and M. N. Aoki (2017) Distributional changes of the kelp community at a subtidal reef after the subsidence caused by the 2011 Tohoku Earthquake, *Reg. Stud. Mar. Sci.*, **14**: 73–83.

Takagi, S., Y. Murata, E. Inomata, **H. Endo**, M. N. Aoki and Y. Agatsuma (2017) Improvement of gonad quality of the sea urchin *Mesocentrotus nudus* fed the kelp *Saccharina japonica* during offshore cage culture., *Aquaculture*, **477**: 50–61.

Takahashi, D., K. Kaneko, Y. Gomi, Y. Minegishi, M. Shoji, **H. Endo** and A. Kijima (2017) Short-term flow fluctuations in Onagawa Bay, Japan, as revealed by long-term mooring observation., *J. Oceanogr.*, **73**(1): 67–86.

Takai N., T. Ito, Y. Iino, **T. Yamamoto**, M. Suzuki, K. Asahina, S. Itoi, S. Nakai, N. Mano, Ming-Chih Huang and H. Sugita (2017) Sexual maturation of *Girella punctata* and *G. leonina* (Perciformes: Girellidae) in the neritic sea off the Pacific coast of Japan. *Coast. Mar. Sci.*, **40**(1): 1–10.

Takenaka, S., **T. Yoshikawa**, S. Kadowaki, S. Okunishi and **H. Maeda** (2017) Microflora in the soft tissue of the Pacific oyster *Crassostrea gigas* exposed to the harmful microalga *Heterosigma akashiwo*. *Biocont. Sci.*, **22**(2): 79–87.

Takenaka, S., **T. Yoshikawa**, S. Kadowaki, S. Okunishi and **H. Maeda** (2017) Microflora in the soft tissue of the Pacific oyster *Crassostrea gigas* exposed to the harmful microalga *Heterosigma akashiwo*. *Biocontrol Sci.*, **22**(1): 79–87.

Takumi, S., T. Shimono, S. Ikema, Y. Hotta, P. Chigwechokha, **K. Shiozaki**, Y. Sugiyama, M. Hashimoto, T. Furukawa and M. Komatsu (2017) Overexpression of Carboxylesterase Contributes to the Attenuation of Cyanotoxin Microcystin-LR Toxicity, *Comp. Biochem. Physiol. C Toxicol. Pharmacol.*, **194**: 22–27.

Tsutsumi, E., T. Matsuno, R.-C. Lien, **H. Nakamura**, T. Senjyu, and X. Guo (2017) Turbulent mixing within the Kuroshio in the Tokara Strait, *J. Geophys. Res. Oceans*, **122**

Umezawa, Y., H. Fukuda and **T. Kobari** (2017) Trend of regional mobility (university selection) and education for students studying fisheries and ocean sciences at university and graduate school: suggestion for cooperation between universities. *Bull. Coast. Oceanogr.*, **55**: 3–10.

Yamamoto, A. (2017) Typical and atypical *Aeromonas salmonicida* infections in fish. *Fish Pathol.*, **52**(3): 126–130.

Yamamoto, A., H. Kitrano and K. Araki (2017) Selective medium design for Japanese eel pathogen *Edwardsiella tarda* by SMART: Selective Medium-design Algorithm Restricted by Two Constrains. *Fish Pathol.*, **52**(1): 42–45.

Ye H, Li C, Yue H, Du H, Yang X, Yoshino T, Hayashida T, **Takeuchi Y**, Wei Q. (2017) Establishment of intraperitoneal germ cell transplantation for critically endangered Chinese sturgeon *Acipenser sinensis*. *Theriogenology* **94**: 37–47.

Yebra, L., **T. Kobari**, A.R. Sastri, F.e Gusmão and S. Hernández-León (2017) Advances in Biochemical Indices of Zooplankton Production. *Adv. Mar. Biol.*, **76**: 157–240.

Yoshikawa H, **Takeuchi Y**, Ino Y, Wang J, Iwata G, Kabeya N, Yazawa R, Yoshizaki G. (2017) Efficient production of donor-derived gametes from triploid recipients following intra-peritoneal germ cell transplantation into a marine teleost, Nibe croaker (*Nibea mitsukurii*). *Aquaculture* **478**: 35–47.

Zhu, X.-H., **H. Nakamura**, M. Dong, A. Nishina, and T. Yamashiro (2017) Tidal currents and Kuroshio transport variations in the Tokara Strait estimated from ferryboat ADCP data, *J. Geophys. Res. Oceans*, 122