

2018 ANNUAL CONTRIBUTIONS Auther Index

Ahamed, F., N. Saha, S. Jahan, S. Akter, M.Y. Hossain, Z.F. Ahmed and **J. Ohtomi** (2818). Length-weight and length-length relationships of two gobiid fishes *Eleotris fusca* (Forster, 1801) and *Odontamblyopus rubicundus* (Hamilton, 1822) from the Payra River, southern Bangladesh. *J. Appl. Ichthyol.*, 34(1): 227–229

Ahamed, F., N. Saha, M. A. Nishat, M. K. Biswas, M. Sultana, M. S. Khatun, Z. F. Ahmed, M. Y. Hossain and **J. Ohtomi** (2818). Length-weight and length-length relationships of three small indigenous fishes from the Payra River, southern Bangladesh. *J. Appl. Ichthyol.*, 34(3): 777–779

Ahamed F., N. Saha, Z. F. Ahmed, M. Y. Hossain and **J. Ohtomi**, (2818). Reproductive biology of *Apocryptes bato* (Gobiidae) in the Payra River, southern Bangladesh. *J. Appl. Ichthyol.*, 34(5): 1169–1175

Ang, W., S. Huang, X. Chen, J. Wang, **J. Ohtomi** and C. Wang (2818). Genetic admixture of mitten crabs in the Northeast Asia hybrid zones. *Hydrobiologia*, 806: 203–214

Anraku, K. M. Kamio and **M. Vazquez Archdale** (2818). Chemoreception and behavior in cephalopods and crustaceans. *Aroma Research* 74 (19): 118-125

Doi, W., A. Mizutani and H. Kohno (2818). Larval release rhythm of the land hermit crab *Coenobita cavipes* Stimpson, 1858 (Anomura: Coenobitidae) in Iriomote Island, Japan. *Crustaceana*, 91(2): 199–211.

Doi, W., A. Nakahiro, H. Washiyama and N. Suzuki (2818). Spawning rate estimation and histological characteristics of post-spawning ovaries of the sergestid shrimp *Lucenosergia lucens* based on shipboard spawning experiments. *Aquacult. Sci.*, 66(1): 11–16.

Doi, W., A. Nakahiro, H. Washiyama and N. Suzuki (2818). Size at sexual maturity and spawning fraction of female sergestid shrimp (*Lucenosergia lucens*) in Suruga Bay, Japan. *Aquacult. Sci.*, 66(2): 103–109.

Doi, W., K. Murakami, M. Yoshioka, A. Mizutani, S. Shimokawa and H. Kohno(2818). Numerical analysis for dispersal and recruitment of pelagic larvae of the land crabs in Amitori Bay, Iriomote Island. *J. JSCE, Ser. B2 (Coast. Engr.)*, 74(2): I_462–I_467.

Endo, H., H. Fukuda, D. Takahashi, Y. Okumura, E. Inomata, K. Ito, C. Yoshimizu, I. Tayasu and T. Nagata (2818). Influence of isotope fractionation on the nitrogen isotope composition of the brown macroalga *Undaria pinnatifida*. *Phycol. Res.*, 66(4): 262–268.

Fukumoto, R., I. A. Borlongan, G. N. Nishihara, **H. Endo** and **R. Terada** (2818). Photosynthetic responses to photosynthetically active radiation and temperature including chilling-light stress on the heteromorphic life history stages of a brown alga, *Cladosiphon okamuranus* (Chordariaceae) from Ryukyu Islands, Japan. *Phycol. Res.*, 66(3): 209–217.

Gao, Xu., **H. Endo** and Y. Agatsuma (2818). Seasonal changes in photosynthesis, growth, nitrogen accumulation, and salinity tolerance of *Chaetomorpha crassa* (Cladophorales, Chlorophyceae). *J. Appl. Phycol.*, 30(3): 1905–1912.

Gao, Xu., **H. Endo** and Y. Agatsuma (2818). Comparative study on the physiological differences between three *Chaetomorpha* species from Japan in preparation for cultivation. *Appl. Phycol.*, 30(2): 1167–1174.

Hata H., **J. Ohtomi** and H. Motomura(2818). First and northernmost records of *Lethrinus erythracanthus* (Perciformes: Lethrinidae) from Kagoshima Prefecture, southern Japan. *Nature of Kagoshima*, 44: 377–381, in Japanese

Hata H., **J. Ohtomi** and H. Motomura (2818). First record of *Gephyroberyx japonicus* (Beryciformes: Trachichthyidae) from Kagoshima Bay, southern Japan. *Nature of Kagoshima*, 44: 95–100, in Japanese

Hayasaka, O., K. Nagata, M. Kakiuchi, M. Miyamoto, **M.**

Ishizaki and T. Kotani (2818). Creation of new project of aquaculture in the University of Magdalena, Colombia and the role of JICA collaborative volunteer program between universities by dispatch of student in its project. *J. Intl. Cooper. Agric. Dev.*, 16: 31–40.

Honda, A., P. Chigwechokha., Y. Kamada-Futagami., M. Komatsu. and K. **Shiozaki** (2818). Unique nuclear localization of Nile tilapia (*Oreochromis niloticus*) Neu4 sialidase is regulated by nuclear transport receptor importin alpha/beta. *Biochimie*, 142, 94–104

Ide, M., Okumura, M., Koizumi, K., **Kumagai, M.**, Yoshida, I., Yoshida, M., Mishima, T. and Nakamura, M. (2818). Novel method to quantify β -glucan in processed foods: sodium hypochlorite extracting and enzymatic digesting (SEED) Assay. *J. Agric. Food Chem.*, 66(4): 1033–1038.

Ieda, R., S. Hosoya, S. Tajima, K. Atsumi, T. Kamiya, A. Nozawa, Y. Aoki, S. **Tasumi**, T. Koyama, O. Nakamura, Y. Suzuki and K. Kikuchi (2818). Identification of the sex-determining locus in grass puffer (**Takifugu niphobles**) provides evidence for sex-chromosome turnover in a subset of Takifugu species. *Paqrus major*, *PLoS One.*, 13(1): e0190635.

Iwata, Y., S. **Okunishi**, S. N. Nuñal, A. A. Regal, M. Nakanoand and H. **Maeda** (2818). Algicidal activity and dynamics of a *Heterosigma akashiwo*-killing bacterium in the presence of marine bacteria. *J. Antibact. Antifung. Agents.*, 46(8): 337–342

Kang, K., K. **Ebata**, S. Kim and S. Fuwa (2818). Characteristics of hydrodynamic force acting on pots used in coastal and inland waters in Korea and Japan. *Nippon Suisan Gakkaishi*, 84(2), 194–201.

Kato, S., T. Matsui, C. Gatsogiannis and Y. Tanaka (2818). Molluscan Hemocyanin: Structure, Evolution, and Physiology. *Aquaculture Science* **65**: 133–144

Kato, S., T. Matsui and Y. Tanaka (2818). Crystal structure of 3.8 MDa respiratory protein complex Hemocyanin. *Seikagaku* (The Japanese Biochemical Society), 90(2): 238–243.

Khatun, D., M.Y.Hossain, M. F. Parvin and J. **Ohtomi** (2818).

Temporal variation of sex ratio, growth pattern and physiological status of *Eutropiichthys vacha* (Schilbeidae) in the Ganges River, NW Bangladesh. *Zool. Ecol.* 28(4): 343–354

Kobari, T., W. Makihara, T. Kawafuchi, K. Sato and G. Kume (2818). Geographic variability in taxonomic composition, standing stock, and productivity of the mesozooplankton community around the Kuroshio Current in the East China Sea, *Fish. Oceanogr.*, 27: 336–350.

Kobayashi S. and M. **Vazquez Archdale** (2818). Growth and reproductive ecology of the portunid crab *Charybdis japonica* in an open seacoast and an inland bay in Fukuoka, Japan. *Journal of Sea Research* 142: 52–65

Komai, T. and J. **Ohtomi** (2818). A new deep-sea species of the snapping shrimp genus *Alpheus* Fabricius, 1798 (Decapoda: Caridea: Alpheidae) from Kagoshima Bay, Japan. *Zootaxa*, 4221(5): 575–593

Kozono, J., G. N. Nishihara, H. **Endo** and R. **Terada** (2818). Effect of temperature and PAR on photosynthesis of an endangered freshwater red alga, *Thorea okadae*, from Kagoshima, Japan. , *Phycologia*, 57(6): 619–629.

Kumagai, M., Watanabe, A., Yoshida, I., Mishima, T., Nakamura, M., Nishikawa, K. and Morimoto, Y. (2818). Evaluation of aculeatin and toddaculin isolated from *toddalia asiatica* as anti-inflammatory agents in LPS-stimulated RAW264 macrophages. *Biolo. Pharm. Bull.*, 41(1): 132–137.

Kumagai, M., Nishikawa, K., Matsuura, H., Umezawa, T., Matsuda, F. and Okino, T. (2818). Antioxidants from the brown alga *Dictyopteris undulata*. *Molecules*, 23(5): 1214.

Matsumoto, M., K. Araki., S, Nishimura., H, Kuriyama., T, Nakanishi., K. **Shiozaki**., Y, Takeuchi. and A, Yamamoto (2818). Adjuvant effect in aquaculture fish of cell-wall glycolipids isolated from acid-fast bacteria. *Dev. Comp. Immunol.*, 85, 142–149

Matsumoto, M., MT, Amer., K, Araki., A, Nishitani., K, Hayashi., Y, Takeuchi., K. **Shiozaki**. and A, Yamamoto (2818). Adjuvant effect of recombinant interleukin-12 in the

- Nocardiosis formalin-killed vaccine of the amberjack *Seriola dumerili*, Fish. Sci., 84, 857–867
- Miyagi, T., K. Takahashi., K, Yamamoto., **K, Shiozaki.**, K, and Yamaguchi (2818). Biological and Pathological Roles of Ganglioside Sialidases. Prog. Mol. Biol. Transl. Sci., 156, 121–150
- Nawer, F., Hossain, M.Y., Sarwar, M.G., Rahman, O., Ahmed, Z.F., Khatun, D., Parvin, M. F., Ahamed, F. and **J. Ohtomi** (2818). Growth, Maturity and Form Factor of **Mola Carplet Amblypharyngodon mola** from the Ganges River, Northwestern Bangladesh., Jordan J. Biol. Sci. 11(4): 375–380
- Nishi, R.** and Y. Tsurunari (2818). Fundamental research on an application of a drone to aquatic environment. J. Civil Engineering B3(Ocean Development) Vol. 74, No.2, pp. I_1006-I_1011
- Ohtomi, J.**, F. Ahamed, M. M. Rahman and H. Fukushima (2818). Distribution patterns and population dynamics of the pandalid shrimp *Plesionika izumiae* (Decapoda, Caridea) in a unique semi-enclosed deep-water bay environment. Crustaceana 91(9): 1073–1096
- Rahman M. M., M. Y. Hossain, M. A. S. Jewel, M. M. Billah and **J. Ohtomi** (2818). Population biology of the pool barb *Puntius sophore* (Hamilton 1822) (Cyprinidae) in the Padma River, Bangladesh. Zool. Ecol., 28 (2): 100–108
- Rahman, M.M. and **J. Ohtomi** (2818). Recruitment, growth patterns and longevity of the deep-water velvet shrimp *Metapenaeopsis sibogae* (Decapoda: Penaeidae). J. Crust. Biol., 38(5): 552–562
- Rahman, M.M. and **J. Ohtomi**, (2818). Relative growth and morphological sexual maturity of the deep-water velvet shrimp *Metapenaeopsis sibogae* (Crustacea, Decapoda, Penaeidae), Invertebr. Reprod. Dev. 62 (3): 125–132
- Rahman, M.M. and **J. Ohtomi** (2818). Biometric relationships of the deep-water velvet shrimp *Metapenaeopsis sibogae* (De Man, 1907) (Crustacea: Decapoda: Penaeidae) in Kagoshima Bay, Japan. Zool. Ecol., 28(4): 365–375
- Rahman, M.M., M.Y.Hossain, A.S.Tumpa, M.I.Hossain, M.M. Billah and **J. Ohtomi** (2818). Size at sexual maturity and fecundity of the mola carplet *Amblypharyngodon mola* (Hamilton 1822) (Cyprinidae) in the Ganges River, Bangladesh. Zool. Ecol. 28(4): 429–436, in Japanese
- Sanuki, H., T. Komai and **J. Ohtomi** (2818). Record of the freshwater shrimp *Atyoida pilipes* (Decapoda: Caridea: Atyidae) from Kuchinoerabu-jima Island, Kagoshima Prefecture, Japan, representing the northernmost record of the species. Bull. biogeogr. Soc. Japan, 73: 143–148
- Shumoto, G., K. Ueda, S. Yamaguchi, T. Kaneshima, T. Konno, Y. Terashima, **A. Yamamoto**, L. A. Nagashima . E. N. Itano and A. Sano (2818). Immunohistochemical Cross-Reactivity Between *Paracoccidioides* sp. from Dolphins and *Histoplasma capsulatum*. Mycopathologia, 183: 793–803
- Sotka, E. E., A. W. Baumgardner, P. M. Bippus, C. Destombe, E. A. Duermit, **H. Endo**, B. A. Flanagan, M. Kamiya, L. E. Lees, C. J. Murren, M. Nakaoka, S. J. Shainker, A. E. Strand, **R. Terada**, M. Valero, F. Weinberger and S. A. Krueger-Hadfield (2818). Combining niche shift and population genetic analyses predicts rapid phenotypic evolution during invasion. Evol. Appl., 11(5): 781–793.
- Sotoyama, Y., **S. Yokoyama**, M. Ishikawa, S. Koshio, H. Hashimoto, H. Oku and T. Ando (2818). Effects of a superoptimal temperature on aquacultured yellowtail *Seriola quinqueradiata*. Fish. Sci., 84(6): 1063–1071.
- Tago, A., **S. Yokoyama**, M. Ishikawa and S. Koshio(2818).. Pharmacokinetics of Eugenol in Japanese flounder *Paralichthys olivaceus*. J. World Aquacult. Soc., 49(4): 780–787.
- Takagi M, **Uno S**, **Kokushi E**, Sato F, Wijayagunawardane M and Fink-Gremmels J. (2818). Measurement of urinary concentrations of the mycotoxins zearalenone and sterigmatocystin as biomarkers of exposure in mares. Reprod Domest Anim. 53(1): 68–73.
- Takagi, S., Y. Murata, E. Inomata, **H. Endo**, M. N. Aoki and Y. Agatsuma (2818). Dietary effect of kelp (*Saccharina japonica*) on gonad quantity and quality in sea urchins (*Mesocentrotus*

nudus) collected from a barren before the fishing season. J. Shellfish Res., 37 (3): 659–669.

Takahashi, D., **H. Endo**, Y. Minegishi, Y. Gomi and K. Kaneko (2818). Wind and density driven circulation in a bay on the Sanriku ria coast, Japan: study of Shizugawa Bay facing the Pacific Ocean. J. Oceanogr., 74(1): 81–100.

Takumi, S., T. Shimono, S. Ikema, Y. Hotta, P. Chigwechokha, **K. Shiozaki**, Y. Sugiyama, M. Hashimoto, T. Furukawa and M. Komatsu (2818). O Pharmacokinetics of Eugenol in Japanese flounder *Paralichthys olivaceus*. J. World Aquacult. Soc., 49(4): 780–787.

Terada, R., K. Matsumoto, I. A. Borlongan, Y. Watanabe, G. N. Nishihara, **H. Endo** and S. Shimada (2818). The combined effects of PAR and temperature including the chilling-light stress on the photosynthesis of a temperate brown alga, *Sargassum patens* (Fucales), based on field and laboratory measurements. J. Appl. Phycol., 30(3): 1893–1904.

Terada, R., Y. Nakazaki, I. A. Borlongan, **H. Endo** and G. N. Nishihara (2818). Desiccation effect on the PSII photochemical efficiency of cultivated Japanese Caulerpa lentillifera under the shipping package environment. J. Appl. Phycol., 30(4): 2533–2538.

Terada, R., K. Nakahara, I. A. Borlongan, Y. Watanabe, T. Mine, T. Morikawa, T. Igari, H. Nishi, **H. Endo** and G. N. Nishihara (2818). Combined effects of irradiance and temperature on the PSII photochemical efficiency in the heteromorphic life history stages of cultivated *Pyropia* (Bangiales): *P. yezoensis* f. *narawaensis* and *P. tenera* from Japan. J. Appl. Phycol.. 31(2): 1251–1257.

Toda K, Uno S, Kokushi E, Shiiba A, Hasunuma H, Matsumoto D, Ohtani M, Yamato O, Shinya U, Wijayagunawardane M, Fink-Gremmels J, Taniguchi M and Takagi M. (2818). Fructo-Oligosaccharide (DFA III) Feed Supplementation for Mitigation of Mycotoxin Exposure in Cattle-Clinical Evaluation by a Urinary Zearalenone Monitoring System. Toxins (Basel). 10(6)

Tsurunari, Y. S. Morooka, K. Uchida, M. Nakai and **R. Nishi** (2818). Environmental study of Ryuujinike Inlet - water

quality and water exchange-J. Civil Engineering B3(Ocean Development) Vol. 74, No.2, pp. 1018-I_1023

Waqalevu, VP., A, Honda., H, Matsui., **K, Shiozaki.** and **T, Kotani** (2818). Proteolytic digestive enzyme response in Japanese flounder larve *Paralichthys olivaceus* red two types of rotifers *Brachionus plicatilis* species complex, Fish Sci., 84, 1037–1049

Waqalevu, V., A. Honda, H. Matsui, **K. Shiozaki** and **T. Kotani** (2818). Proteolytic digestive enzyme response in Japanese flounder *Paralichthys olivaceus* fed two types of rotifers *Brachionus plicatilis* species complex. Fisheries Sci., 84(6): 1037–1049.

Yamamoto T., T. Kagohara, K. amamoto, S. Kamimura and M. Hamaguchi (2818). Distribution of *Batillaria multiformis* and *B. attramentaria* (Batillariidae) in southern Kyushu. Plankton and Benthos Research, 13: 10–16.

Yanagisawa, H., Y. Seki, S. Yogosawa, **S. Takumi**, H. Shimizu and M. Suka. (2818). Potential role of mitochondrial damage and S9 mixture including metabolic enzymes in ZnO nanoparticles-induced oxidative stress and genotoxicity in Chinese hamster lung (CHL/IU) cells. Mutat. Res. Genet. Toxicol. Environ. Mutagen., 834: 25–34.